



AUSTRALIAN
DRILLING ATTACHMENTS

PRODUCT CATALOGUE

HANDHELD DRILLING

DRIFTING AND TUNNELLING

BENCH AND PRODUCTION DRILLING

SHANK ADAPTORS

BOLTING INSTALLATION TOOLS



ABOUT US

Australian Drilling Attachments (ADA) is a highly regarded provider of drilling consumables and associated equipment to Australia's largest tunnelling infrastructure project teams and their contractors.

Our drilling expertise also sees us extending to expert drilling contractors in the ground stabilisation industry such as geotechnical, slope stabilisation, mining services and limited access drillers.

Our dedication to our clients and the successful delivery of infrastructure projects has positioned us as the proud Australian distributor of world-renowned U.S. brands, including TEI Rock Drills, REED Concrete Pumps and Shotcrete Equipment, and ChemGrout Inc. ADA provides after sales service, repairs and further customisation of these products for the Australian market.



CONTENTS

01

HANDHELD DRILLING	page 4
INTEGRAL DRILLS	page 5
TAPERED DRILL STEELS AND BITS	
12 DEGREE	page 6
SPLITSET DOLLIES	page 6
DRILL BIT CONFIGURATIONS	page 7
R25 DRILL BITS	page 8
R25 DRILL RODS	page 9
R25 SHANKS RODS	page 9
COUPLINGS AND ADAPTORS	page 10
REAMING EQUIPMENT	page 10

02

DRIFTING AND TUNNELLING	page 11
DRIFTER RODS	page 12
COUPLINGS AND ADAPTORS	page 12
BENCH AND PRODUCTION DRILLING	
R32 DRILL BITS	page 13
R32 DRILL RODS	page 14
T38 DRILL RODS	page 14
COUPLINGS AND ADAPTORS	page 14
T38 DRILL BITS	page 15
T48 DRILL BITS	page 16
T51 DRILL BITS	page 17
T45 DRILL RODS	page 18
T51 DRILL RODS	page 18
GUIDE TUBES	page 18
COUPLINGS AND ADAPTORS - T45 AND T51	page 19
SHANK ADAPTORS	page 20 and 21
BOLTING INSTALLATION TOOLS	
JUMBO DOLLIES	page 22
ROPE THREADED SPLITSET DOLLIES	page 22
RECOVERY TOOLS	page 22
CUSTOM MANUFACTURED REAMER PLATES	page 22

01


HANDHELD DRILLING

INTEGRAL DRILL STEELS



Shank Size 22 x 108mm hex

Part Number	Drill Depth (mm)	Diameter (mm)
IDS-22108HM-0600-28	600	28
IDS-22108HM-0600-29	600	29
IDS-22108HM-0600-33	600	33
IDS-22108HM-0600-35	600	35
IDS-22108HM-0600-38	600	38
IDS-22108HM-0600-41	600	41
IDS-22108HM-0800-27	800	27
IDS-22108HM-0800-28	800	28
IDS-22108HM-0800-34	800	34
IDS-22108HM-0800-40	800	40
IDS-22108HM-1200-27	1200	27
IDS-22108HM-1200-28	1200	28
IDS-22108HM-1200-29	1200	29
IDS-22108HM-1200-32	1200	32
IDS-22108HM-1200-34	1200	34
IDS-22108HM-1200-38	1200	38
IDS-22108HM-1200-40	1200	40
IDS-22108HM-1600-28	1600	28
IDS-22108HM-1600-33	1600	33
IDS-22108HM-1600-38	1600	38
IDS-22108HM-1600-39	1600	39
IDS-22108HM-1800-27	1800	27
IDS-22108HM-1800-28	1800	28
IDS-22108HM-1800-33	1800	33
IDS-22108HM-1800-38	1800	38
IDS-22108HM-1800-39	1800	39
IDS-22108HM-1800-40	1800	40
IDS-22108HM-2100-30	2100	30
IDS-22108HM-2100-32	2100	32
IDS-22108HM-2100-39	2100	39
IDS-22108HM-2100-40	2100	40
IDS-22108HM-2200-28	2200	28
IDS-22108HM-2400-28	2400	28
IDS-22108HM-2400-32	2400	32
IDS-22108HM-2400-39	2400	39
IDS-22108HM-3200-28	3200	28
IDS-22108HM-3200-31	3200	31



TAPERED DRILL STEELS AND BITS




12 DEGREE

Shank Size 22 x 108mm hex (11 degree available on request)

TAPERED BITS	
Part Number	Drill Depth (mm)
BB-12D-28	28
BB-12D-32	32
BB-12D-33	33
BB-12D-35	35
BB-12D-38	38
BB-12D-41	41
BB-12D-45	45



TAPERED RODS	
Part Number	Drill Depth (mm)
TDS-22H-12D-0600	610
TDS-22H-12D-0900	915
TDS-22H-12D-1200	1220
TDS-22H-12D-1500	1525
TDS-22H-12D-1800	1830
TDS-22H-12D-2100	2100
TDS-22H-12D-2400	2430
TDS-22H-12D-3100	3100



SPLITSET DOLLIES

ROCKDRILL SPLITSET DOLLIES		
Part Number	Splitset Size (mm)	Effective Length (mm)
SD-33-300-22R	33	300
SD-33-300-22R-F	33	300
SD-39-300-22R	39	300
SD-46-300-22R	46	300

TAPERED ROD SPLITSET DOLLIES		
Part Number	Splitset Size (mm)	Female
SD-22HF-33	33	22 Hex
SD-22HF-39	39	22 Hex
SD-22HF-46	46	22 Hex
SD-R25F-33	33	R25
SD-R25F-39	39	R25
SD-R25F-46	46	R25



DRILL BIT CONFIGURATIONS

TYPE

Body Style - Standard, Retractor
Face Design - Flat Face, Drop Centre
Button Style - Ballistic, Hemispherical
Cross



Standard, Flat Face, Ballistic



Standard, Flat Face, Hemispherical



Standard, Cross



Standard, Drop Centre, Ballistic



Standard, Drop Centre, Hemispherical



Retractor, Drop Centre, Ballistic



Retractor, Flat Face, Ballistic



Retractor, Flat Face, Hemispherical





Retractor, Drop Centre, Hemispherical

DRILL BITS - R25



Drill Bits

Part Number	Diameter (mm)	Body Style	Button Style
BB-R25-33-8	33	STD	Ballistic
XB-R25-33	33	STD	Cross
BB-R25-33-H	33	STD	Hemispherical
BB-R25-35-B	35	STD	Ballistic
XB-R25-35	35	STD	Cross
BB-R25-35-H	35	STD	Hemispherical
BB-R25-38-B	38	STD	Ballistic
XB-R25-38	38	STD	Cross
BB-R25-38-H	38	STD	Hemispherical
BB-R25-41-B	41	STD	Ballistic
XB-R25-41	41	STD	Cross
BB-R25-41-H	41	STD	Hemispherical
BB-R25-43-B	43	STD	Ballistic
XB-R25-43	43	STD	Cross
BB-R25-43-H	43	STD	Hemispherical
BB-R25-45-B	45	STD	Ballistic
XB-R25-45	45	STD	Cross
BB-R25-45-H	45	STD	Hemispherical
BB-R25-48-B	48	STD	Ballistic
BB-R25-48-H	48	STD	Cross
BB-R25-51-B	51	STD	Ballistic
XB-R25-57	51	STD	Cross
BB-R25-51-H	51	STD	Hemispherical
BB-R25-55-B	55	STD	Ballistic
BB-R25-55-H	55	STD	Hemispherical
BB-R25-57-B	57	STD	Ballistic
XB-R25-57	57	STD	Cross
BB-R25-57-H	57	STD	Hemispherical
PRB-R25-64-35P-H	64/35	STD	Hemispherical
PRB-R25-76-35P-H	76/35	STD	Hemispherical



R25 DRILL RODS


DRILL RODS			
Part Number	Type	Thread	Length (mm)
MF-R25-0600	M-F	R25	600
MF-R25-0900	M-F	R25	900
MF-R25-1200	M-F	R25	1200
MF-R25-1800	M-F	R25	1800
MF-R25-1500	M-F	R25	1500
MF-R25-2100	M-F	R25	2100

DRILL RODS			
Part Number	Type	Thread	Length (mm)
MM-R25-1200	M-M	R25	1200
MM-R25-1800	M-M	R25	1800
MM-R25-2100	M-M	R25	2100
MM-R25-2400	M-M	R25	2400
MM-R25-3100	M-M	R25	3100
MM-R25-3700	M-M	R25	3700
MM-R25-4300	M-M	R25	4300



R25 SHANK RODS

DRILL RODS	
Part Number	Length (mm)
SR-22H-R25M-0250	250
SR-22H-R25M-0600	600
SR-22H-R25M-0900	900
SR-22H-R25M-1200	1200
SR-22H-R25M-1500	1500
SR-22H-R25M-1800	1800
SR-22H-R25M-2400	2400





COUPLINGS AND ADAPTORS



COUPLINGS				
Part Number	Type	Thread	Thread	OD
CP-R25F-R25F	F-F	R25	R25	35
CP-R25F-R32F	F-F	R25	R32	46
CP-R25F-T38F	F-F	R25	T38	57

CROSS OVER ADAPTORS				
Part Number	Type	Thread	Thread	OD
BA-LH-R25F-R32M	F-M	R25	R32	45



REAMING EQUIPMENT


REAMER BITS		
Part Number	OD (mm)	Degree
PRP-06D-64-H	64	6
PRP-06D-76-H	76	6
PRP-06D-89-H	89	6
PRP-12D-89-H	89	12
PRP-12D-102-H	102	12
PRP-12D-115-H	115	12
PRP-12D-127-H	127	12



PILOT RODS		
Part Number	Length (mm)	Degree
PR-22H-06D-1200	1200	6
PR-22H-06D-2400	2400	6
PR-22H-12D-2400	2400	12
PR-22H-12D-1200	1200	12



PILOT ADAPTER BITS		
Part Number	Thread	Degree
PA-R25F-06D-TC	R25	6
PA-R32F-06D-TC	R32	6
PA-R32F-12D-TC	R32	12



02


DRIFTING AND TUNNELLING

DRIFTER RODS

Part Number	Type	Thread	Thread	Length (mm)
DF-R32M-R25M-25H2400	M-M	R32	R25	2400
DF-R32M-R25M-25H2600	M-M	R32	R25	2600
DF-R32M-R25M-25H3100	M-M	R32	R25	3100
DF-R32M-R25M-25H3700	M-M	R32	R25	3700
DF-R32M-R25M-25H4300	M-M	R32	R25	4300
DF-R32M-R25M-25H4900	M-M	R32	R25	4900
DF-R32M-R25M-25H5500	M-M	R32	R25	5500
DF-T38M-R32M-35H2400	M-M	T38	R32	2400
DF-T38M-R32M-35H2700	M-M	T38	R32	2700
DF-T38M-R32M-35H3100	M-M	T38	R32	3100
DF-T38M-R32M-35H3700	M-M	T38	R32	3700
DF-T38M-R32M-35H4300	M-M	T38	R32	4300
DF-T38M-R32M-35H4600	M-M	T38	R32	4600
DF-T38M-R32M-35H4900	M-M	T38	R32	4900
DF-T38M-R32M-35H5200	M-M	T38	R32	5200
DF-T38M-R32M-35H5500	M-M	T38	R32	5500
DF-T38M-R32M-35H5800	M-M	T38	R32	5800
DF-T38M-R32M-35H6100	M-M	T38	R32	6100
DF-T38M-R32M-35H6400	M-M	T38	R32	6400

*Others upon request


*MF Drifter Rods upon request



COUPLINGS AND ADAPTORS


COUPLINGS				
Part Number	Type	Thread	Thread	OD
CP-R32F-R32F	F-F	R32	R32	46
CP-R32F-T38F	F-F	R32	T38	55

*Customised products are available based on your specific requirements



CROSSOVER ADAPTOR				
Part Number	Type	Thread	Thread	OD
BA-LH-R32F-T38M	F-M	R32	T38	48
BA-LH-R32F-T25M	F-M	R32	R25	48



*Customised products are available based on your specific requirements



BENCH AND PRODUCTION DRILLING

R32 Drill Bits - Standard Body

Part Number	Diameter (mm)	Body Style	Face Design	Button Style
XB-R32-41	41	STD	Cross	
BB-R32-41-B	41	STD	Flat Face	Ballistic
BB-R32-41-H	41	STD	Flat Face	Hemispherical
XB-R32-43	43	STD	Cross	
BB-R32-43-B	43	STD	Flat Face	Ballistic
BB-R32-43-H	43	STD	Flat Face	Hemispherical
XB-R32-45	45	STD	Cross	
BB-R32-45-B	45	STD	Flat Face	Ballistic
BB-R32-45-H	45	STD	Flat Face	Hemispherical
XB-R32-48	48	STD	Cross	
BB-R32-48-B	48	STD	Flat Face	Ballistic
BB-R32-48-H	48	STD	Flat Face	Hemispherical
XB-R32-51	51	STD	Cross	
BB-R32-51-B	51	STD	Flat Face	Ballistic
BB-R32-51-H	51	STD	Flat Face	Hemispherical
XB-R32-57	57	STD	Cross	
BB-R32-57-B	57	STD	Flat Face	Ballistic
BB-R32-57-H	57	STD	Flat Face	Hemispherical
BB-R32-64-B	64	STD	Drop Centre	Ballistic
BB-R32-64-H	64	STD	Drop Centre	Hemispherical
XB-R32-76	76	STD	Cross	
BB-R32-76-H-DC	76	STD	Drop Centre	Hemispherical
BB-R32-H-FF	76	STD	Flat Face	Hemispherical
PRB-R32-89-H	89	STD	Dome	Hemispherical
PRB-R32-89-45P-H	89/45	STD	Pilot	Hemispherical
PRB-R32-102-H	102	STD	Dome	Hemispherical
PRB-R32-102-43P-H	102/43	STD	Pilot	Hemispherical
PRB-R32-165-FP-H	165	STD	Pilot	Hemispherical



R32 Drill Bits - Retractable Body

Part Number	Diameter (mm)	Face Design	Button Style
RTB-R32-51-B-FF	51	Flat Face	Ballistic
RTB-R32-51-H-FF	51	Flat Face	Hemispherical
RTB-R32-57-B-FF	57	Flat Face	Ballistic
RTB-R32-57-H-FF	57	Flat Face	Hemispherical
RTB-R32-64-B-FF	64	Flat Face	Ballistic
RTB-R32-64-H-FF	64	Flat Face	Hemispherical
RTB-R32-64-B-DC	64	Drop Centre	Ballistic
RTB-R32-64-H-DC	64	Drop Centre	Hemispherical
RTB-R32-76-H-DC	76	Drop Centre	Hemispherical

R32 DRILL RODS

Part Number	Type	Thread	Length (mm)	OD
MF-R32-0900	M-F	R32	900	44
MF-R32-1200	M-F	R32	1200	44
MF-R32-1800	M-F	R32	1800	44
MF-R32-2400	M-F	R32	2400	44
MF-R32-3660	M-F	R32	3660	44
MF-R32-4300	M-F	R32	4300	44
MF-R32-1500	M-F	R32	1500	44
MF-R32-3100	M-F	R32	3100	44
MF-R32-3600	M-F	R32	3600	44
MF-R32-4915	M-F	R32	4915	44
MF-R32-5500	M-F	R32	5500	44
MF-R32-6400	M-F	R32	6400	44

T38 DRILL RODS



Part Number	Type	Thread	Length (mm)	OD
MF-T38-0900	M-F	T38	900	57
MF-T38-1200	M-F	T38	1200	56
MF-T38-1800	M-F	T38	1800	56
MF-T38-2400	M-F	T38	2400	56
MF-T38-3660	M-F	T38	3660	56
MF-T38-4300	M-F	T38	4300	56
MF-T38-4900	M-F	T38	4900	56
MF-T38-5500	M-F	T38	5500	56



COUPLINGS AND ADAPTORS

COUPLINGS				
Part Number	Type	Thread	Thread	OD
CP-T38F-T38F	F-F	T38	T38	52
CP-R32F-T38F	F-F	R32	T38	52

CROSSOVER ADAPTOR				
Part Number	Type	Thread	Thread	OD
BA-LH-T38F-R32M	F-M	T38	R32	56



T38 DRILL BITS

T38 Bits - Standard Body

Part Number	Diameter (mm)	Body Style	Face Design	Button Style
XB-T38-64	64	STD	Cross	
BB-T38-64-B-DC	64	STD	Drop Centre	Ballistic
BB-T38-64-H-DC	64	STD	Drop Centre	Hemispherical
BB-T38-64-B-FF	64	STD	Flat Face	Ballistic
BB-T38-64-H-FF	64	STD	Flat Face	Hemispherical
BB-T38-70-H-DC	70	STD	Drop Centre	Hemispherical
BB-T38-76-B-DC	76	STD	Drop Centre	Ballistic
BB-T38-76-H-DC	76	STD	Drop Centre	Hemispherical
BB-T38-76-B-FF	76	STD	Flat Face	Ballistic
BB-T38-76-H-FF	76	STD	Flat Face	Hemispherical
BB-T38-89-B-DC	89	STD	Drop Centre	Ballistic
BB-T38-89-H-DC	89	STD	Drop Centre	Hemispherical
BB-T38-89-B-FF	89	STD	Flat Face	Ballistic
BB-T38-89-H-FF	89	STD	Flat Face	Hemispherical
PRB-T38-89-H	89	STD	Pilot	Hemispherical
BB-T38-102-B-DC	102	STD	Drop Centre	Ballistic
BB-T38-102-B-DC	102	STD	Drop Centre	Hemispherical
BB-T38-102-H-DC	102	STD	Flat Face	Ballistic
BB-T38-102-B-FF	102	STD	Flat Face	Hemispherical
BB-T38-102-H-FF	102	STD	Dome	Hemispherical



T38 Bits - Pilot Reamers

Part Number	Diameter (mm)	Body Style	Face Design	Button Style
PRB-T38-102-45P-H	102/45	STD	Pilot	Hemispherical
PRB-T38-115-48P-H	115/48	STD	Pilot	Hemispherical
PRB-T38-127-60P-H	127/60	STD	Pilot	Hemispherical
PRB-T38-165-FP-H	165	STD	Flat Face	Hemispherical
PRB-T38-230-FP-H	230	STD	Flat Face	Hemispherical
PRB-T38-320-FP-H	320	STD	Flat Face	Hemispherical



T38 Bits - Retractable Body


Part Number	Diameter (mm)	Body Style	Face Design	Button Style
RTB-T38-64-B-DC	64	Retrac	Drop Centre	Ballistic
RTB-T38-64-H-DC	64	Retrac	Drop Centre	Hemispherical
RTB-T38-64-B-FF	64	Retrac	Flat Face	Ballistic
RTB-T38-64-H-FF	64	Retrac	Flat Face	Hemispherical
RTB-T38-76-B-DC	76	Retrac	Drop Centre	Ballistic
RTB-T38-76-H-DC	76	Retrac	Drop Centre	Hemispherical
RTB-T38-76-B-FF	76	Retrac	Flat Face	Ballistic
RTB-T38-76-H-FF	76	Retrac	Flat Face	Hemispherical
RTB-T38-89-B-DC	89	Retrac	Drop Centre	Ballistic
RTB-T38-89-H-DC	89	Retrac	Drop Centre	Hemispherical
RTB-T38-89-B-FF	89	Retrac	Flat Face	Ballistic
RTB-T38-89-H-FF	89	Retrac	Flat Face	Hemispherical
RTB-T38-102-B-DC	102	Retrac	Drop Centre	Ballistic
RTB-T38-102-H-DC	102	Retrac	Drop Centre	Hemispherical
RTB-T38-102-B-FF	102	Retrac	Flat Face	Ballistic
RTB-T38-102-H-FF	102	Retrac	Flat Face	Hemispherical



T45 DRILL BITS

T45 Bits - Standard Body

Part Number	Diameter (mm)	Body Style	Face Design	Button Style
BB-T45-70-H-DC	70	STD	Drop Centre	Hemispherical
BB-T45-76-B-DC	76	STD	Drop Centre	Ballistic
BB-T45-76-H-DC	76	STD	Drop Centre	Hemispherical
BB-T45-76-B-FF	76	STD	Flat Face	Ballistic
BB-T45-76-H-FF	76	STD	Flat Face	Hemispherical
BB-T45-89-B-DC	89	STD	Drop Centre	Ballistic
BB-T45-89-H-DC	89	STD	Drop Centre	Hemispherical
BB-T45-89-H-DC - 1 side flush	89	STD	Drop Centre	Hemispherical
BB-T45-89-B-FF	89	STD	Flat Face	Ballistic
BB-T45-89-H-FF	89	STD	Flat Face	Hemispherical
BB-T45-102-B-DC	102	STD	Drop Centre	Ballistic
BB-T45-102-B-FF	102	STD	Flat Face	Ballistic
BB-T45-102-B-FF	102	STD	Flat Face	Hemispherical
BB-T45-115-B-DC	115	STD	Drop Centre	Ballistic
BB-T45-115-H-FF	115	STD	Flat Face	Hemispherical
BB-T45-127-B-DC	127	STD	Drop Centre	Ballistic
BB-T45-127-H-FF	127	STD	Flat Face	Hemispherical



T45 Bits - Pilot Reamers

Part Number	Diameter (mm)	Body Style	Face Design	Button Style
PRB-T45-127-70P-H	127/70	STD	Pilot	Hemispherical
PRB-T45-127-76P-H	127/76	STD	Pilot	Hemispherical
PRB-T45-152-70P-H	152/70	STD	Pilot	Hemispherical
PRB-T45-152-76P-H	152/76	STD	Pilot	Hemispherical
PRB-T45-203-76P-H	203/76	STD	Pilot	Hemispherical
PRB-T45-203-89P-H	203/89	STD	Pilot	Hemispherical



T45 Bits - Retractable Body


Part Number	Diameter (mm)	Body Style	Face Design	Button Style
RTB-T45-70-H-DC	70	Retrac	Drop Centre	Hemispherical
RTB-T45-76-H-DC	76	Retrac	Drop Centre	Hemispherical
RTB-T45-76-B-FF	76	Retrac	Flat Face	Ballistic
RTB-T45-76-H-FF	76	Retrac	Flat Face	Hemispherical
RTB-T45-89-B-DC	89	Retrac	Drop Centre	Ballistic
RTB-T45-89-H-DC	89	Retrac	Drop Centre	Hemispherical
RTB-T45-89-H-FF	89	Retrac	Flat Face	Hemispherical
RTB-T45-102-H-DC	102	Retrac	Drop Centre	Hemispherical
RTB-T45-102-H-FF	102	Retrac	Flat Face	Hemispherical
RTB-T45-115-H-DC	115	Retrac	Drop Centre	Hemispherical
RTB-T45-127-B-DC	127	Retrac	Drop Centre	Ballistic



T51 DRILL BITS

T51 Bits - Standard Body

Part Number	Diameter (mm)	Body Style	Face Design	Button Style
BB-T51-76-B-FF	76	STD	Flat Face	Ballistic
BB-T51-76-H-FF	76	STD	Flat Face	Hemispherical
XB-T51-89	89	STD	Cross	
BB-T51-89-B-DC	89	STD	Drop Centre	Ballistic
BB-T51-89-B-DC-1SF	89	STD	Drop Centre	Ballistic
BB-T51-89-H-DC	89	STD	Drop Centre	Hemispherical
BB-T51-89-B-FF	89	STD	Flat Face	Ballistic
BB-T51-89-B-FF-2SF	89	STD	Flat Face	Ballistic
BB-T51-89-H-FF-HD	89	STD	Flat Face	Hemispherical
BB-T51-89-B-RB	89	STD	Rocket	Ballistic
BB-T51-102-B-DC	102	STD	Drop Centre	Ballistic
BB-T51-102-H-DC	102	STD	Drop Centre	Hemispherical
BB-T51-102-B-FF	102	STD	Flat Face	Ballistic
BB-T51-102-H-FF	102	STD	Flat Face	Hemispherical
BB-T51-102-B-RB	102	STD	Rocket	Ballistic
BB-T51-115-B-DC	115	STD	Drop Centre	Ballistic
BB-T51-115-H-DC	115	STD	Drop Centre	Hemispherical
BB-T51-115-H-FF	115	STD	Flat Face	Hemispherical
BB-T51-127-B-DC	127	STD	Drop Centre	Ballistic
BB-T51-127-H-DC	127	STD	Drop Centre	Hemispherical
BB-T51-127-H-FF	127	STD	Flat Face	Hemispherical
BB-T51-140-H-DC	140	STD	Drop Centre	Hemispherical
BB-T51-140-H-FF	140	STD	Flat Face	Hemispherical
BB-T51-152-B-DC	152	STD	Drop Centre	Ballistic
BB-T51-152-H-DC	152	STD	Drop Centre	Hemispherical
BB-T51-152-B-FF	152	STD	Flat Face	Ballistic
BB-T51-152-H-FF	152	STD	Flat Face	Hemispherical



T51 Bits - Retractable Body

Part Number	Diameter (mm)	Body Style	Face Design	Button Style
RTB-T51-76-H-DC	76	Retrac	Drop Centre	Hemispherical
RTB-T51-89-H-FF	89	Retrac	Flat Face	Hemispherical
RTB-T51-89-H-DC	89	Retrac	Drop Centre	Hemispherical
RTB-T51-89-B-DC	89	Retrac	Drop Centre	Ballistic
RTB-T51-102-H-DC	102	Retrac	Drop Centre	Hemispherical
RTB-T51-102-H-FF	102	Retrac	Flat Face	Hemispherical
RTB-T51-102-B-DC	102	Retrac	Drop Centre	Ballistic
RTB-T51-102-B-FF	102	Retrac	Flat Face	Ballistic
RTB-T51-115-H-DC	115	Retrac	Drop Centre	Hemispherical
RTB-T51-127-H-DC	127	Retrac	Drop Centre	Hemispherical
RTB-T51-127-H-FF	127	Retrac	Flat Face	Hemispherical
RTB-T51-140-H-DC	140	Retrac	Drop Centre	Hemispherical
RTB-T51-152-H-DC	152	Retrac	Drop Centre	Hemispherical
RTB-T51-165-H-DC	165	Retrac	Drop Centre	Ballistic



T45 DRILL RODS

Part Number	Type	Thread	Length (mm)	OD
MF-T45-1200	M-F	T45	1200	65
MF-T45-1500	M-F	T45	1500	65
MF-T45-1800	M-F	T45	1800	65
MF-T45-3100	M-F	T45	3100	65
MF-T45-3100-SF	M-F	T45	3100	65
MF-T45-3600-SF	M-F	T45	3600	65
MF-T45-3660	M-F	T45	3660	65
MF-T45-4300	M-F	T45	4300	65
MF-T45-4800	M-F	T45	4800	65



T51 EXTENSION RODS

Part Number	Type	Thread	Length (mm)	OD
MF-T51-0900	M-F	T51	900	72
MF-T51-1500	M-F	T51	1500	72
MF-T51-1800	M-F	T51	1800	72
MF-T51-3660	M-F	T51	3660	72
MF-T51-4300	M-F	T51	4300	72
MF-T51-4880	M-F	T51	4880	72
MF-T51-6000	M-F	T51	6000	72
MM-T51-0900	M-M	T51	900	72
MM-T51-3600	M-M	T51	3600	72



GUIDE TUBES

Part Number	Type	Thread	Thread	Diameter (mm)
GT-T51F-1800-FM	F-M	T51	1830	87
GT-T51F-3700-FF	F-F	T51	3660	87

COUPLINGS AND ADAPTORS - T45 AND T51

COUPLINGS				
Part Number	Type	Thread	Thread	OD
CP-T45F-T45F	F-F	T45	T45	66
CP-T51F-T51F	F-F	T51	T51	72
CP-T51F-T51F-HD	F-F	T51	T51	77
CROSSOVER COUPLINGS				
CP-T38F-T45F	F-F	T38	T45	63
CP-T38F-T51F	F-F	T38	T51	72
CP-T45F-T51F	F-F	T45	T51	72

CROSSOVER ADAPTORS			
Part Number	Type	Thread	Thread
BA-LH-T45F-T38M	F-M	T45	T38
BA-LH-T45F-T51M	F-M	T45	T51
BA-LH-T51F-T38M	F-M	T51	T38
BA-LH-T51F-T45M	F-M	T51	T45




SHANK ADAPTORS

Rockdrill/Drifter Type	Part Number	Thread	Length (mm)	Diameter (mm)
ATLAS COPCO				
CP1032 R38 550x45	SN-CP1032-R38-550-45	R38	550	45
CP1238 T38 575x38	SN-CP1238-T38-575-38	T38	575	38
CP1238 T38 575x45	SN-CP1238-T38-575-45	T38	575	45
CP1435 HEL R32 500x35	SN-CP1435HEL-R32-500-35	R32	500	35
CP1838 R32 525x38	SN-CP1838-R32-525-38	R32	525	38
CP1838 T38 435x38	SN-CP1838-T38-435-38	R32	435	38
CP1838 T38 525x38	SN-CP1838-T38-525-28	T38	525	38
CP1838 T45 525x52	SN-CP1838-T45-525-52	T45	525	52
CP1840 Extractor T45 770x52	SN-CP1840EX-T45-770-52	T45	770	52
CP2160 Extractor T45 770x60	SN-CP2160-T45-770-60	T45	770	60
CP2160-2560 Extractor T51 770x60	SN-CP2160-T51-770-60	T51	770	60
CP2560EX PLUS T51	SN-CP2560EXPLUS-T51	T51	770	63
CP4050 T51 605x52	SN-CP4050-T51-605-52	T51	606	52
COP RD22 T51 650x52	SN-CPRD22-T51-650-52	T51	650	52
HC20 R32 286x45	SN-HC20-R32-287-45	R32	287	45
HC25 R32 340x45	SN-HC25-R32-340-45	R32	340	45
HC40/50 R32 370x38	SN-HC40-R32-370-38	R32	370	38
HC40/50 T38 370x38	SN-HC40-T38-370-38	T38	370	38
HC40/50 R32 445x38	SN-HC40-R32-445-38	R32	445	38
HC40/50 T38 447x38	SN-HC40-T38-447-38	T38	447	38
HC95 T38 440x45	SN-HC95-T38-440-45	T38	440	45
HC95SA T38 468x45	SN-HC95SA-T38-468-45	T38	468	45
HC108 T38 500x38	SN-HC108-T38-500-38	T38	500	38
HC108 R32 440x38	SN-HC108-R32-440-38	R32	440	38
HC108 T38 500x38	SN-HC108-T38-500-38	T38	500	38
HC109 T45 490x45	SN-HC109-T45-490-45	T45	490	45
HC109 T45 590x45	SN-HC109-T45-590-45	T45	590	45
HC109RP T45 770x45	SN-HC109-T45-770-45	T45	770	45
HC110 T38 420x45	SN-HC110-T38-420-45	T38	420	45
HC110 T38 500x45	SN-HC110-T38-500-45	T38	500	45
HC110 T45 500x45	SN-HC110-T45-500-45	T45	500	45
HC110 T45 590x45	SN-HC110-T45-590-45	T45	590	45
HC120 T45 490x45	SN-HC120-T45-490-45	T45	490	45
HC120 T51 670x51	SN-HC120-T51-670-51	T51	670	51

SHANK ADAPTORS (CONTINUED)

Rockdrill/Drifter Type	Part Number	Thread	Length (mm)	Diameter (mm)
MONTABERT				
HL300 R32 400x32	SN-HL300-R32-400-32	R32	400	32
HL500 R32 450x38	SN-HL500-R32-450-38	R32	450	38
HL500 R32 450x38	SN-HL500-R32-450-38	R32	450	38
HL500 R32 500x45	SN-HL500-R32-500-45	R32	500	45
HL500 T38 460x38	SN-HL500-T38-460-38	T38	460	38
HL500T38 500x45	SN-HL500-T38-500-45	T38	500	45
HL500 T38 550x45	SN-HL500-T38-550-45	T38	550	45
HL550 T45 500x45	SN-HL550-T45-500-45	T45	500	45
HL700 R32 600x52	SN-HL700-R32-600-52	R32	600	52
HL700 T38 600x52	SN-HL700-T38-600-52	T38	600	52
HL700 T51 600x52	SN-HL700-T511-600-52	T51	600	52
HLX5 R32 500x45	SN-HLX5-R32-500-45	R32	500	45
HLX5 T38 500x45	SN-HLX5-T38-500-45	T38	500	45
RD520/525 T38 525x45	SN-RD520-T38-525-45	T38	525	45
YG110V T45 728x55	SN-YH110-T45-728-55	T45	728	55
SANDVIK				
RH2X R32F 396x56	SN-RH2X-R32F-396-56	R32	396	56
RH2X R38F 396x56	SN-RH2X-R38F-396-56	R38	396	56
RH2X T30F 396x56	SN-RH2X-T30F-396-56	T30	396	56
RH2X T40F 396x56	SN-RH2X-T40F-396-56	T40	396	56
RH4X R32F 525x55	SN-RH4X-R32F-525-55	R32	525	55
RH4X R38F 525x55	SN-RH4X-R38F-525-55	R38	525	55
RH2X R38F 525x55	SN-RH2X-R38F-525-55	R38	525	55
RH2X T40F 525x55	SN-RH2X-T40F0525-55	T40	525	55
RH4X T45M 630x55	SN-RH4X-T45M-630-55	T45	630	55



BOLTING INSTALLATION TOOLS

JUMBO DOLLIES

Part Number	Thread	Socket	Length (mm)
JD-R32F-0300-36AF	R32F	36AF	300
JD-T38F-0300-36AF	T38F	36AF	300
JD-R32F-0600-36AF	R32F	36AF	600
JD-T38F-0600-36AF	T38F	36AF	600

*other lengths and socket sizes available on request.

ROPE THREADED SPLITSET DOLLIES

Part Number	Splitset Size (mm)
SD-R32F-33	33
SD-R32F-39	39
SD-R32F-46	46
SD-T38F-33	33
SD-T38F-39	39
SD-T38F-46	46




RECOVERY TOOLS

FISHING PIKES
Part Number
REC-R32-PIKE
REC-T38F-PIKE
REC-T45F-PIKE
REC-T51F-PIKE




FISHING SLEEVE
Part Number
REC-T51F-SLEEVE-60



CUSTOM MANUFACTURED REAMER PLATES

Various
 Flate Plate Reamer Bits

Type:
 T38
 165, 230 and 320mm





AUSTRALIAN
DRILLING ATTACHMENTS

 NSW

 +61 24902 8080

 www.ausdrillingattachments.com.au

 Repairs and Services: repairs@ausdrillingattachments.com.au

 Sales: sales@ausdrillingattachments.com.au